

NHL: Mantle Cell Lymphoma Pathways

Patient Name: _____ Date of Birth: _____

Member Number: _____ Treatment Start Date: _____

Pathology: _____ Stage: _____

Line of Therapy: __1st Line __2nd Line __3rd Line __3rd Line+ __Maint ECOG Performance Status: _____ ICD-10 Code: _____

Biomarkers/Characteristics: (select all that apply)

CD20 status: __Negative __Positive HIV associated lymphoma: __No __Yes Transplant Candidate: __No __Yes

First Line of Therapy (1st Line) | ASCT Candidates

Alternating R-CHOP/R-DHAP: cyclophosphamide (Cytoxan), doxorubicin (Adriamycin), vincristine (Vincasar), prednisone, rituximab* alternating with dexamethasone, cisplatin, cytarabine (Ara-C), and rituximab*

Nordic Regimen: dose intensified rituximab*, cyclophosphamide, vincristine (Vincasar), doxorubicin (Adriamycin), prednisone alternating with rituximab* and high dose cytarabine (Ara-C)

First Line of Therapy (1st Line) | Not an ASCT Candidate

BR: bendamustine (Bendeka, Treanda) and rituximab*

Second and Subsequent Lines of Therapy (2nd Line+)

Acalabrutinib (Calquence)

BR: bendamustine (Bendeka, Treanda) and rituximab*

Bortezomib (Velcade)

Ibrutinib (Imbruvica)

Lenalidomide (Revlimid)

*Rituximab may be administered as Rituxan or Rituxan Hycela. When Rituxan Hycela is chosen, treatment with SC rituximab (Rituxan Hycela) should only be initiated after patients have received at least one full dose of IV rituximab (Rituxan)

Note: Pathways are independent of specific health plan medical policy coverage criteria. Health plan medical policy/clinical guidelines should be consulted to determine whether proposed services will be covered.



8600 West Bryn Mawr Avenue
South Tower - Suite 800 Chicago, IL 60631
www.aimspecialtyhealth.com

Last review: 08/21/2018 | Effective date: 11/21/2018

Appropriate.Safe.Affordable
© 2018 AIM Specialty Health
9014-1118